




MIROVANJE



RAZVOJ
BRSTOV



RAZVOJ
SOCVETIJ



CVETENJE



NASTAVLJANJE
PLODOV



ZAČETEK
RAZVOJA
PLODOV



ZELENI
PLODOVI
OTRDIJO



ZAČETEK
BARVANJA
PLODOV



PO
OBIRANJU

Razvojne faze

N GOOO in K-FERT linija gnojil

NPK 14-10-12 + ME
ali NPK 12-8-8+ ME
ali N-GOOO 14-6-16 150 kg/ha

N-GOOO 26 ali
PRATIKO 200
kg/ha 150 kg/ha

NPK 16-0-30
150-200 kg/ha

NPK 16-0-30
150-200 kg/ha

Foliarna gnojila in biostimulatorji

FILL 25-20-15
+ RA.AN
ali
NUTRIBIO +
RA.AN

FILL 25-
20-15 +
RA.AN +
BORAMI
N Mo

ENA +
RA.AN +
BORAMI
N Mo
2x Tretir.

ENA +
RA.AN +
ACTIMOL

25-20-15 ali FILL K 40

2 Tretir.
BRIX
SPECIAL

Fiziološki aktivatorji

(odpornos na bolezni in vrem.strese)

FOSFICAL ali BUTTERMIX
(Fosical lahko pusti sledi fosforjeve kisline,
če je to moteče uporabite Buttermix)

FOSFISAN +
BORAMIN
Mo + FILL
25-20-15

Idron linija gnojil za namakanje

IDRON 9-50-9

IDRON Ca + NUTRIBIO

IDRON 12-6-36

ZNAČILNOSTI GNOJENJA OLJK - ODVZEMI

- **ODVZEM HRANIL -4 do 5t plodov oljke/ha**
- N: **40-70 kg/ha ali 0,5 – 1kg/drevo**
- P2O5: **10-20kg/ha**
- K2O: **60-100kg/ha**

CILJNE VREDNOSTI hraniil v listih oljk

N - 1,5-1,8% (zagotavlja zmerno rast poganjkov,
obilno cvetenje in lepi plodovi)

P – nad 1%

K – nad 0,8%

Bor – nad 19mg/kg suhe snovi

(Agrobora 11L ali Boramin(eko))

Kontakti AGROCHEM:
031 526 122 Fekonja Štefan,
031 732 091 Golob Marjo,
041 810 251 Golob Mitja
031 649 275 Ljubenko Silva
www.agrochem.si



ZNAKI POMANJKANJA BORA NA LISTIH



ZNAKI POMANJKANJA BORA NA PLODU